

MINIATURE FUSES WITH GLASS BODY

5x20 MINIATURE FUSES

5x20

5x20 MINIATURE FUSES

I _n (A)	REFERENCE				U (V)	BREAKING CAPACITY (kA)	PACKING Uni./BOX/BULK
	FAST ACTING (F)		TIME LAG (T)				
	bulk standard	box standard	bulk standard	box standard			
0,1	5000010	5020010	5300010	5320010	250	35	10/100/1000
0,125	5000012	5020012	5300012	5420012	250	35	10/100/1000
0,16	5000016	5020016	5300016	5420016	250	35	10/100/1000
0,20	5000020	5120020	5300020	5420020	250	35	10/100/1000
0,25	5000025	5120025	5300025	5420025	250	35	10/100/1000
0,315	5000031	5120031	5300031	5420031	250	35	10/100/1000
0,4	5000040	5120040	5300040	5420040	250	35	10/100/1000
0,5	5000050	5120050	5300050	5420050	250	35	10/100/1000
0,63	5000063	5120063	5300063	5420063	250	35	10/100/1000
0,8	5000080	5120080	5300080	5420080	250	35	10/100/1000
1	5000100	5120100	5300100	5420100	250	35	10/100/1000
1,25	5000125	5120125	5300125	5420125	250	35	10/100/1000
1,6	5000160	5120160	5300160	5420160	250	35	10/100/1000
2	5000200	5120200	5300200	5420200	250	35	10/100/1000
2,5	5000250	5120250	5300250	5420250	250	35	10/100/1000
3,15	5000315	5120315	5300315	5420315	250	35	10/100/1000
4	5000400	5120400	5300400	5420400	250	10 x I _n	10/100/1000
5	5000500	5120500	5300500	5420500	250	10 x I _n	10/100/1000
6,3	5000630	5120630	5300630	5420630	250	10 x I _n	10/100/1000
7*	5000700	5020700	5300700	5320700	250	10 x I _n	10/100/1000
8*	5000800	5020800	5300800	5320800	250	10 x I _n	10/100/1000
10*	5001000	5021000	5301000	5321000	250	10 x I _n	10/100/1000
12*	5001200	5021200	5301200	5321200	250	10 x I _n	10/100/1000
15*	5001500	5021500	5301500	5321500	250	10 x I _n	10/100/1000
16*	5001600	5021600	5301600	5321600	250	10 x I _n	10/100/1000



(*) Overtopping fuses

MINIATURE FUSES WITH GLASS BODY

5x20 NEUTRAL LINK
MINIATURE FUSES SET
DIMENSIONS

5x20-6x32

5x20 NEUTRAL LINK

REFERENCE

PACKING

Uni./BOX

510001

10/100



MINIATURE FUSES SET

SIZE

REFERENCE

PACKING

FAST ACTING (F)

TIME LAG (T)

Uni./BOX

5x20

510002*

510003*

1/10

6x32

510004*

-

1/10




510002

(*) This set contains 20 glass fuses of every rated current.

In (A): 125 mA · 160 mA · 200 mA · 250 mA · 315 mA · 400 mA · 500 mA · 630 mA · 800 mA · 1 A · 1,25 A · 1,6 A · 2 A · 2,5 A · 3,15 A · 4 A · 5 A · 6,3 A

DIMENSIONS



SIZE

A

B

5x20

5

20

6x32

6


32

MINIATURE FUSES WITH GLASS BODY


t-I CHARACTERISTICS

5x20-6x32

5x20 t-I CHARACTERISTICS




CLASS F (fast acting)




CLASS T (time lag)

6x32 t-I CHARACTERISTICS



CLASS F (fast acting)



CLASS T (time lag)