

MINIATURE FUSES WITH GLASS BODY

6x32 MINIATURE FUSES

6x32

6x32 MINIATURE FUSES

I _n (A)	REFERENCE				U (V)	BREAKING CAPACITY (kA)	PACKING Uni./BOX/BULK
	FAST ACTING (F)		TIME LAG (T)				
	bulk standard	box standard	bulk standard	box standard			
0,1	6000010	6030010	6300010	6330010	250	35	10/100/1000
0,125	6000012	6030012	6300012	6330012	250	35	10/100/1000
0,16	6000016	6030016	6300016	6330016	250	35	10/100/1000
0,20	6000020	6030020	6300020	6330020	250	35	10/100/1000
0,25	6000025	6030025	6300025	6330025	250	35	10/100/1000
0,315	6000031	6030031	6300031	6330031	250	35	10/100/1000
0,4	6000040	6030040	6300040	6330040	250	35	10/100/1000
0,5	6000050	6030050	6300050	6330050	250	35	10/100/1000
0,63	6000063	6030063	6300063	6330063	250	35	10/100/1000
0,8	6000080	6030080	6300080	6330080	250	35	10/100/1000
1	6000100	6030100	6300100	6330100	250	35	10/100/1000
1,25	6000125	6030125	6300125	6330125	250	35	10/100/1000
1,6	6000160	6030160	6300160	6330160	250	35	10/100/1000
2	6000200	6030200	6300200	6330200	250	35	10/100/1000
2,5	6000250	6030250	6300250	6330250	250	35	10/100/1000
3,15	6000315	6030315	6300315	6330315	250	35	10/100/1000
4	6000400	6030400	6300400	6330400	250	10 x I _n	10/100/1000
5	6000500	6030500	6300500	6330500	250	10 x I _n	10/100/1000
6,3	6000630	6030630	6300630	6330630	250	10 x I _n	10/100/1000
7*	6000700	6030700	6300700	6330700	250	10 x I _n	10/100/1000
8*	6000800	6030800	6300800	6330800	250	10 x I _n	10/100/1000
9*	6000900	6030900	6300900	6330900	250	10 x I _n	10/100/1000
10*	6001000	6031000	6301000	6331000	250	10 x I _n	10/100/1000
12*	6001200	6031200	6301200	6331200	250	10 x I _n	10/100/1000
15*	6001500	6031500	6301500	6331500	250	10 x I _n	10/100/1000



(*) Overrating fuses

MINIATURE FUSES WITH GLASS BODY

5x20 NEUTRAL LINK
MINIATURE FUSES SET
DIMENSIONS

5x20-6x32

5x20 NEUTRAL LINK

REFERENCE

PACKING

Uni./BOX

510001

10/100



MINIATURE FUSES SET

SIZE

REFERENCE

PACKING

FAST ACTING (F)

TIME LAG (T)

Uni./BOX

5x20

510002*

510003*

1/10

6x32

510004*

-

1/10




510002

(*) This set contains 20 glass fuses of every rated current.

In (A): 125 mA · 160 mA · 200 mA · 250 mA · 315 mA · 400 mA · 500 mA · 630 mA · 800 mA · 1 A · 1,25 A · 1,6 A · 2 A · 2,5 A · 3,15 A · 4 A · 5 A · 6,3 A

DIMENSIONS



SIZE

A

B

5x20

5

20

6x32

6


32

MINIATURE FUSES WITH GLASS BODY


t-I CHARACTERISTICS

5x20-6x32

5x20 t-I CHARACTERISTICS




CLASS F (fast acting)




CLASS T (time lag)

6x32 t-I CHARACTERISTICS



CLASS F (fast acting)



CLASS T (time lag)